

Polypyrrole-Coated Paper for Flexible Solid-State Energy Storage Longyan Yuan,? a bBin Yao,?a,b Bin Hu,a Kaifu Huo, Wen Chen and Jun Zhou\*a a Wuhan National Laboratory for Optoelectronics (WNLO), and School of Physics, Huazhong University of Science and Technology (HUST), Wuhan, 430074, China; E-mail: jun.zhou@mail.hust.cn

1. Introduction. In recent years, there is an ever-increasing interest in developing flexible energy storage devices to meet the urgent energy demand for the booming flexible and wearable electronics [1], [2], [3]. Among the various energy storage devices, flexible supercapacitors have attracted significant attention because of their high power density, fast ...

A high-performance paper electrode is fabricated through coating polypyrrole (PPy) on ordinary laboratory filter paper via a traditional interfacial polymerization method with perchloric acid (HClO 4) as a dopant. Owing to the superior mechanical flexibility and environmental stability of the free standing PPy paper, the robust electrode displays an ultrahigh capacitance of 1650 ...

A solid-state flexible supercapacitor (SC) based on organic-inorganic composite structure was fabricated through an "in situ growth for conductive wrapping" and an electrode material of ...

High-performance and breathable polypyrrole coated air-laid paper for flexible all-solid-state supercapacitors. Adv. Energy Mater., 7 (2017), p. 1701247. ... Polypyrrole-coated paper for flexible solid-state energy storage. Energy Environ. Sci., 6 (2013), pp. 470-476. Crossref View in Scopus Google Scholar [45]

Highly conductive paper was fabricated through polypyrrole (PPy) coating on common printing paper by a simple and low-cost "soak and polymerization" method. The as-fabricated porous, flexible and conductive paper shows a high electrical conductivity of 15 S cm -1 and a low sheet resistance of 4.5 O sq -1. Flexible solid-state supercapacitors assembled with PPy/paper ...

Polypyrrole (PPy), as one of the conducting polymers, has emerged as a promising active material for high performance supercapacitor owing to its intrinsic characteristics (e.g. high electrical conductivity and interesting redox properties) "s attracting more and more attentions with the development of flexible/wearable devices thanks to the great flexibility and ductility of ...

Particularly, its volumetric energy density outperforms many previously reported solid-state SCs, such as polypyrrole-coated paper symmetric SC 10, carbon/MnO 2 fiber symmetric SC 30, H-TiO 2 @MnO ...

To evaluate the actual energy storage performance of the MPP-5 supercapacitor, a series connection of MPP-5



assembled supercapacitors is utilized to increase the operational voltage, enabling them to function as the power supply of LEDs. ... High-performance and breathable polypyrrole coated air-laid paper for flexible all-solid-state ...

Ultra-high performance and flexible polypyrrole coated CNT paper electrodes for all-solid-state supercapacitors. J. Mater. Chem. A, 7 (17) (2019), pp. 10751-10760. ... Polypyrrole-coated paper for flexible solid-state energy storage. Energy Environ. Sci., 6 (2013), pp. 470-476. Crossref View in Scopus Google Scholar

High-Performance and Breathable Polypyrrole Coated Air-Laid Paper for Flexible All-Solid-State Supercapacitors Yuanxun Chen, Key Laboratory of Advanced Civil Engineering Materials (Tongji University), Ministry of Education, School of Materials Science and Engineering, Tongji University, 4800 Caoan Road, Shanghai, 201804 China

areal specific capacitance of 566.5 mF cm-2 is achieved, corresponding to an areal energy density of 38.55 mWhcm-2 and power density of 0.17 mW cm-2. These results suggest that ...

High-performance and breathable polypyrrole coated air-laid paper for flexible all-solid-state supercapacitors Adv Energy Mater, 7 ( 2017 ), p. 1701247, 10.1002/aenm.201701247

As an important class of energy storage devices, flexible and stretchable supercapacitors have attracted intensive ... Polypyrrole-coated graphene foam was synthesized by a modified interfacial ... High-performance and breathable polypyrrole coated air-laid paper for flexible all-solid-state supercapacitors. Adv. Energy Mater., 7 (2017 ...

Ultra-high performance, flexible, and good conductive polypyrrole (PPy) coated carbon nanotube paper (CNTP) electrodes are successfully prepared by a facile in-situ interfacial polymerization method.

The fabricated solid-state SC device based on TiO2@PPy core-shell NWs not only has excellent flexibility, but also exhibits remarkable electrochemical performance. Herein, we developed a facile two-step process to synthesize TiO2@PPy core-shell nanowires (NWs) on carbon cloth and reported their improved electrochemical performance for flexible ...

In addition, a symmetrical solid-state supercapacitor based on MXene-PPy textiles was assembled, which achieved an energy density of 1.30 mW h g 1 (power density ¼ 41.1 mW g 1). This work introduces a new type of MXene-based textile SC, which provides a promising candidate for flexible and wearable energy storage devices. Introduction

A high-performance paper electrode is fabricated through coating polypyrrole (PPy) on ordinary laboratory filter paper via a traditional interfacial polymerization method with perchloric acid (HClO 4) as a



dopant.Owing to the superior mechanical flexibility and environmental stability of the free standing PPy paper, the robust electrode displays an ultrahigh capacitance of 1650 mF cm -2 ...

Electrodes that combine energy storage with mechanical and photothermal performance are necessary for efficient development and use of flexible energy storage and conversion devices. In this study, the flexible, ultrathin, and multifunctional polypyrrole/cellulose nanofiber composite films were fabricated via a one-step "soak and polymerization" method. ...

Among various energy storage devices, ... such as polypyrrole 9, ... Yuan, L. et al. Polypyrrole-coated paper for flexible solid-state energy storage. Energy Environ.

Electrochemical performance of symmetrical solid-state supercapacitor based on MXene-PPy textile. (a) CV curves of PPy-MXene coated textile supercapacitor at the different scan rate.

A solid-state flexible supercapacitor (SC) based on organic-inorganic composite structure was fabricated through an "in situ growth for conductive wrapping" and an electrode material of ...

Yuan L, Yao B, Hu B, et al. Polypyrrole-coated paper for flexible solid-state energy storage. Energy & Environmental Science, 2013, 6(2): 470. Article CAS Google Scholar Guan S, Fu X, Lao Z, et al. NiS-MoS 2 hetero-nanosheet arrays on carbon cloth for high-performance flexible hybrid energy storage devices. ACS Sustainable Chemistry ...

These make the PPy-coated WTSS electrode an excellent alternative candidate for flexible energy storage. We utilized a simple dipping-and-polymerization method to prepare an interesting electrode material consisting of polypyrrole (PPy) polymerized on a wood transverse section slice (WTSS), and fabricated a wood-based supercapacitor.

Facile synthesis of graphene paper/polypyrrole nanocomposite as electrode for flexible solid-state supercapacitor. Author links open overlay panel Weizheng Wang a 1, Omer Sadak b c 1, ... Flexibility plays a crucial role in energy storage systems since it expands the application of those devices. We verified the flexibility via GCD measurements ...

In addition, a symmetrical solid-state supercapacitor based on MXene-PPy textiles was assembled, which achieved an energy density of 1.30 mW h g -1 (power density = 41.1 mW g -1). This work introduces a new type of MXene-based textile SC, which provides a promising candidate for flexible and wearable energy storage devices.

Polypyrrole was coated on a conductive flexible paper by soak and polymerization method for solid state energy storage devices [33]. Polypyrrole at graphene oxide paper was prepared for flexible supercapacitor ... Polypyrrole-coated paper for flexible solid-state energy storage. Energy Environ Sci, 6 (2013), pp. 470-476.



#### Crossref View in Scopus ...

High-performance, breathable, conductive, and flexible polypyrrole (PPy) coated paper electrodes are prepared by an interfacial polymerization method using air-laid paper as a substrate.

Ultra-high performance, flexible, and good conductive polypyrrole (PPy) coated carbon nanotube paper (CNTP) electrodes are successfully prepared by a facile in situ ...

A fabricated all-solid-state supercapacitor based on the resulting paper electrode has an excellent areal capacitance of 630 mF cm-2 and energy density of 2.8 mWh cm-3. The results confirm that this approach can fabricate the highly foldable and shape-tailorable energy storage devices and may have wide potential applications.

Web: https://sbrofinancial.co.za

Chat online: https://tawk.to/chat/667676879d7f358570d23f9d/1i0vbu11i?web=https://sbrofinancial.co.za